

PROJECT44 API INTEGRATION

USER MANUAL

Ljubljana, 23. March 2020

Introduction:

In the next following steps, we will explain how to create API token for Project44 into mobileWEB application.

Step 1:

User login to mobileWEB application <https://mobileweb.cvs-mobile.com>

IMPORTANT!!! Only users who are owners or admin users can edit this function.

Step 2:

After successful login, user first create group of vehicles. This step must be done if they only need to display certain group of vehicles. If all vehicles need to be displayed there's no need to create separate group of vehicles


Select icon of car (Vehicle fleet)



New window opens

Here user selects

- Vehicle groups(1) then goes under
- All own vehicles(2) and
- + Add(3)



The screenshot shows the 'Vehicle fleet' application interface. On the left, there is a navigation menu with 'Vehicle groups' highlighted in red and labeled '1'. Below it, 'All own vehicles' is also highlighted in red and labeled '2'. At the top right of the main content area, a '+ Add' button is highlighted in red and labeled '3'. The main content area is divided into two sections: 'Vehicle groups' on the left, listing various groups like 'bojan chat', 'chat developers', 'Expresstrans-privat', 'fcc demo', 'fcc test 1', 'FURLANTECH', 'Millsped-CVS', 'PODPORA - PISARNA', 'PRENOSNATIB', 'Relago', 'Stanje kilometrov', 'TEST LASTNA + POSOJENA', 'TIB', and 'VALTER SKUPINA'. At the bottom of this list, 'All own vehicles' is highlighted in red and labeled '2'. On the right, there is a 'Vehicles' section displaying a grid of vehicle cards. Each card shows a vehicle icon, a name, a type, and a status (Active or Inactive). The cards include: 'Virtual trailer Active', '177 ROMANP Truck Inactive', '236 ROBERT Person Inactive', 'andrej Virtual trailer Active', 'andrej Virtual trailer Active', 'ANDREJ avto Virtual trailer Active', 'ApiVehicleAdd test1 Bicycle Inactive', 'ApiVehicleAdd test2 Bicycle Inactive', 'ATESTZG Truck Inactive', 'AVS GUNTNER Truck Active', 'AVS HANS J. Truck Active', 'Balance 24A4 Bicycle Active', 'bg 733 Id Virtual trailer Active', 'BG-1105-XY Car Active', 'BG-1105-XZ Car Active', 'BG-1116-XC Car Active', 'BG111TT Virtual trailer Active', 'BG-1174-EB Car Active', 'BG-1227-NC Car Active', 'BG-1342-GO Car Active', and 'BG-413-AH Truck Active'.

When we press +Add, new window opens Vehicle group data. We create name(1) (in our case we created "Project44") then select vehicles(2) checkbox and press save(3). Group is now created.

Vehicle group data

Name Status Active Assigned drivers ✖

Select all


Person

- PetrPisarna
- TEST DIAGN

Truck

- PODPORA**
- UID-259
- UID-512

Step 3: User goes under username(1) and then he chooses Users and permissions(2)



New window opens, users selects API keys(1) and then +Add(2)




User In field “name”(1) enters Project 44, under Permissions(2) selects following checkmarks:

DataApi:

- *VehicleList*
- *VehicleDataList*

Under Vehicle groups(3) user selects selected group or all own vehicles if user didn't created any group

User then presses Save(4)



Window closes and then user copies API key and sends it to responsible person at Project 44.

For any additional questions you can contact us via email support@cvs-mobile.com